Stack Cover REKORD





Rekord Cover

Do not cut

the seam

REKORD

Rekord Cover features & benefits



Prevents moisture from the ground from condensing on the underside of the cover, avoiding damaging moulds



Tear-resistant

ekord Cover is extrermely robust, wind-proof and durable.



Hydrophobic
Makes the greatest part of water and snow slide on the surface



► UV rays protection
Rekord Cover is a strong barrier against UV rays. It prevents damages and losses. The UV reatment also protects the cover





Thanks to its robust structure and UV treatment, Rekord Cover is durable and reausable multiple Most farmers know that one of the greatest concerns in this practice is to secure bales from rain and snow, as well as from UV rays in order to prevent losses. Thanks to Rekord Cover, farmers have finally found an ally in protecting their harvest from damages due to weather conditions.


Rekord Cover is:

- · highly breathable, no more moulds and damaged bales
- a perfect UV rays barrier
- a secure protection from rain and snow avoiding that the majority of water reaches the bale surface
- tear-resistant and windproof
- <u>sustainable</u> since recyclable, durable and reusable

Quick User Guide









For more information visit our website



www.novatexitalia.com

Rekord Cover: extraordinary coverage power



Width (m)	Length (m)	bales covered
9,80	12,50	up to 60
9,80	25,00	up to 120
12,20	25,00	up to 200

Based on the number of bales to be covered, you will find the most suitable size for the dimensions of your bale stack.

Accessories



Plastic screw

Thanks to these screws. you can anchor Rekord Cover firmily, ensuring tightness also during windy days.



Velcro Hook Tape

The Velcro Hook Tape is a great help when you need to match up multiple Rekord Covers to protect a longer bale stack.




Metallic clip

In order to anchor firmly Rekord Cover on the stack, we suggest adopting 1-inch metal pipes and metal clips.




Rekord Cover


How to use it




(*) standard bales: 1,25xØ1,60m



(*) standard bales: 1,25xØ1,60m



(*) standard bales: 1,25xØ1,60m



Novatex Italia SpA Via per Dolzago 37, 23848 Oggiono (LC) - Italy Tel +39 0341 267611 - Fax +39 0341 260408 www.novatexitalia.it

