Twine range Rekord





EnergX & LSB Twines

Twine according to Novatex



Revolution in twines for HD balers.
The greatest 2023 innovation: the new EnergX® Technology, capable of enhancing the baler work ensuring exceptional yield and significant ease of work. You just settle operations and then Rekord HD Prime, Rekord Ultimate and Rekord UHD will do all the work thanks to EnergX® Tech!



Let's focus on length and resistance.

Simple and essentials instructions in order to guide you when choosing Rekord LSB Twine, exactly the most suitable to your big baler and harvest conditions.





HD Balers Twine

HD Prime: 1.800 m - 1.500 m | Ultimate: 1.270 m

Productivity and knot quality never seen before on HD balers!

New technology, new performances. EnergX® is a change of pace for HD Baler twines.



SECURER | SMARTER | LONGER



Rekord EnergX® Tech

The flexible binding system obtained through EnergX Tech is able to dissipate the energy of the strongest impacts, keeping the bale always close-packed.

For superior protection!

In EnergX the highest performances finally coexist with a reduced diameter of the twine. This allows obtaining spools with a length never reached before by HD baler twine.

For unmatched productivity!

The optimal diameter and the dynamic EnergX Technology favour the knotter's performances ensuring:

- a superior shock absorption capacity
- unrivaled protection of the knot from breakages and slippages.

Rekord twines HD Prime and Ultimate with EnergX Tech are also sustainable. EnergX Tech reduces the amount of plastic per bale.

Rekord with
EnergX Tech
is a change
of pace for
HD baler twines





	Rekord	HD Prime	Rekord Ultimate
Colour	Purple	Purple	Rust
Spool Length	1.800 m	1.500 m	1.270 m
Knot Protection Energy	82 J	82 J	93 J
Max. Spool Diameter	320 mm	300 mm	300 mm
Max. Spool Height	385 mm	370 mm	350 mm
Spools per pallet	36	80	48





LSB Tech Twines RECORD

Each colour represents the category to which the Rekord LSB twine belongs: from the most performing, suitable for really extreme baling conditions, gradually towards the less demanding ones.



Baling Conditions

Extreme Very High

EXTREME

VERY HIGH

HIGH

STANDARD

LOW

The colour segmentation on the label allows to identify the twine to be used according to the working scenario.

Higher strength and yield for the most demanding conditions

Rekord HD Prime

EXCELLENT PERFORMANCE IN EXTREME CONDITIONS

A true champion. HD Prime is the Rekord twine for truly extreme conditions. Ideal for HD balers, for binding large bales and super-demanding crops. The uncompromising solution for those who do not like compromises.

Spool Length	1.100 m
Pack Length*	2.200 m
Linear Strength	470 kg
Packs per pallet	40

Rekord HD Extra

EXTRA LENGTH FOR EXTRA DENSITY

HD Extra is perhaps the most advanced synthesis of LSB Rekord twines. Great yield, excellent binding performance, high specific strength. A flexible and highly secure solution for a wide range of operations.

Spool Length	1.300 m
Pack Length*	2.600 m
Linear Strength	400 kg
Packs per pallet	40





LSB Twine

Baling Conditions

High **Standard** Low



Highest yield for less demanding baling conditions

POWERFUL AND VERSATILE FOR PERFECT WORK Power means strength, Power means length. There are many situations where Rekord Power

is the ideal twine. Its incredible yield, combined with an extraordinary knot strength, make it a champion of flexibility.

Spool Length	1.400 m
Pack Length*	2.800 m
Linear Strength	340 kg
Packs per pallet	56

Long

THE PERFECT QUALITY-PRICE RATIO

When it is the yield that counts, Rekord Long is unmatched. With a very high number of bales per spool, Rekord Long is the perfect twine for standard conditions of use that enhance its qualities.

Spool Length	1.500 m
Pack Length	3.000 m
Linear Strength	305 kg
Packs per pallet	56

Max

SUPER LENGTH FOR LOW-DENSITY BALES

For low-density square bales what matters most, besides the technical features, is the value for money. Rekord Max has a truly unbeatable cost per meter: many extra meters per spool at an always-winning price.

Spool Length	1.600 m
Pack Length	3.200 m
Linear Strength	280 kg
Packs per pallet	56





Medium & fine Twines SUPER NOVA

Each colour represents the category to which the Rekord LSB twine belongs: from the most performing, suitable for really extreme baling conditions, gradually towards the less demanding ones. The colour segmentation on the label allows to identify the twine to be used according to the working scenario.





Supernova

The Supernova® brand is internationally recognized.

The linear and knot strength performance and the functionality of these twines place them at the top of the category.

Tested on all machines on the market, Supernova in 100% polypropylene, fully recyclable, represents the ideal solution for baling with small square balers and round balers

Supernova medium and fine twines are at the top of the category.

SMALL SQUARE BALES	
TYPE	400+
Colour	blue
Average Linear Strength	110 kg
Pack Length	3.470 m
Packs per pallet	80

SMALL SQUARE AND ROUND BALES	
BLU	750+
Colour	blue
Average Linear Strength	67 kg
Pack Length	5.760 m
Packs per pallet	96





Novatex Italia SpA Via per Dolzago 37, 23848 Oggiono (LC) - Italy Tel +39 0341 267611 - Fax +39 0341 260408 www.novatexitalia.it

