

Fresh Film

Hyper-ventilated stretch film for pallet wrapping

The perfect synthesis between safe packaging and air circulation!


Thanks to its unique technology, Fresh Film is the only solution that offers: superior mechanical strength, giving perfect stability even with heavy pallets, reduced number of wraps, and increased air circulation.

FRESH FILM





VENTILATION | STABILITY | TRANSPARENCY





Exclusive Innovation

- 
Perfect goods ventilation
 Allows more air circulation even when layers are overlapped
- 
Inhibits condensate formation
 Perfect ventilation means zero condensation and zero mould formation
- 
Multi-directional grip
 Perfect grip to goods and between layers for maximum load strength
- 
Superior transparency and visibility
 It improves the goods visibility and enhances the aesthetics of the pallet
- 
Maximum compatibility
 Perfectly compatible with all pallet wrappers, automated and manual



Fresh Film

Fresh Film represents the latest evolution in palletising thanks to its high toughness and strength, perfect sealing, and large openings for the natural air circulation.

Fresh Film's innovative structure combines properties previously impossible to obtain from a single product: superior mechanical strength, giving perfect stability even with heavy pallets, reduced number of wraps, increased ventilation.

Its particular transparency allows perfect visibility of the contents, enhancing the aesthetics of the pallet and the wrapped goods.

Fresh Film also offers a higher yield than any comparable product.

Fresh Film, the solution to every product

“
Fresh Film is changing the rules of palletising: more ventilation, better load retention.
”



-  Refrigerated goods or goods requiring rapid freezing
-  Foods such as coffee, drinks and canned food
-  Fresh food or food requiring smoking
-  Seeds, feed, flakes
-  Chemicals, construction products and firewood

Fresh Film, perfect for every wrapping system

Roll type	Description	Length	Minimum Stretch	Minimum Yield After Stretching	Roll Weight (+/-5%)	Roll Outer Diameter (max)	Rolls per Pallet	Packaging
Manual (Ø interno 50mm)	Fresh Film 20 • 785 m	785 m	20%	942	3 kg		224	4 per box
Manual (Ø interno 76mm)	Fresh Film 20 • 785 m	785 m	20%	942	3 kg		224	4 per box
Mechanical	Fresh Film 20 • 4.100 m	4.100 m	20%	4.920	14,6 kg	25,5 cm	40	
Mechanical	Fresh Film 200 • 1.900 m	1.900 m	200%	5.700	16,6 kg	25,5 cm	40	
Mechanical	Fresh Film 250 • 1.700 m	1.700 m	250%	5.950	17,0 kg	25,5 cm	40	

Fresh Film is offered in multiple formats with different properties. Thanks to longer rolls with a minimum stretch up to 250%, **Fresh Film's yield per meter is astonishingly high**, reducing downtime for roll replacement and ensuring greater efficiency and savings.



Fresh Film 250, in particular, allows a significant **reduction in the amount of plastic used**, a reduction in CO₂ emissions into the environment, and a significant reduction in material to be recycled.

Fresh Film increases the shelf life of perishable foods

No product before Fresh Film has been able to combine ventilation and safe load wrapping.



-  Longer rolls
-  Larger openings
-  Reduced carbon footprint

So many advantages, plus it is recyclable!

While offering maximum load retention and complete ventilation, Fresh Film is thinner, contains less plastic per metre and is recyclable - a step ahead for the environment.

Novatex Italia SpA
Via per Dolzago 37, 23848 Oggiono (LC) - Italy
Tel +39 0341 267611 - Fax +39 0341 260408
www.novatexitalia.it