

TWINES REKORD EnergyX



REKORD

ENERGEX
Tech

EnergX Twine



Twine according to Novatex

A revolution in HD twines.

The new EnergX technology, able to enhance the work of the baler, ensuring exceptional performance and great ease of work. You set the task, everything else is done by Rekord with EnergX Tech!

Why twine by the metre is so much, much better

Novatex's Rekord EnergX twines are a huge step forward for the industry in terms of quality and transparency. EnergX technology not only increases knot-tying performance and eliminates breakage, but also guarantees a higher yield than all other twines!

You want proof?

Try calculating the actual 'type number' of a traditional twine. It's done in a snap:

1. cut **10 metres of twine** and weigh it
2. **divide the result by 10** and you get the reliable value of the weight per metre
3. divide the value of **1000 grams by the weight of 1 metre** and you get metres per kg, which is the real measure of the 'type number'
4. multiply **the weight of the spool in kg by the metres per kg** and you will get the exact number of metres of that spool.

10 m



: 10



1000 :

kg x m

HERE IS A PRACTICAL EXAMPLE FOR A 'TYPE NUMBER' 110 TWINE

Weight 10 metres = 105.12 grams

Weight per metre = $105.12 : 10 = 10.512$ grams

Metres per kg (real runnage) = $1000g : 10.512g = 95.13$ m/kg

Twine metres = 9.5 (reel weight in kg) $\times 95.13 = 903.72$ m

Compare this result with the measurements on the label of Rekord EnergX twines: **the difference is striking.**

A 1,500 metre reel of HD Prime thus offers almost **600 metres more**, the 1,800 metre reel **even twice as much!**

Twine by the metre is fundamental in understanding the yield of a product.



The perfect solution for HD balers

Big Baler HD Twines

The extraordinary solution

Productivity and binding quality never seen on HD balers!
A new twine concept, new technology, new performance. Rekord HD Ultimate, HD Prime and Power with EnergX® Tech make a step change for Big Baler HD twines.

REKORD

ENERGEX Tech

SECURER | SMARTER | LONGER



HD Big Baler

Rekord EnergX Tech

The flexible binding system obtained through EnergX® Tech is able to dissipate the energy of the strongest impacts, keeping the bale always close-packed.

For superior protection!

In EnergX the highest performances finally coexist with a reduced diameter of the twine. This allows obtaining spools with a length never reached before by HD baler twine.

For unmatched productivity!

The optimal diameter and the dynamic EnergX Technology favour the knotter's performances ensuring:

- a superior shock absorption capacity
- unrivalled protection of the knot from breakages and slippages.

Sustainable Innovation

Secure knots



Longer
than ever



Knotters
facilitator



Shock
absorption



Unmatched
productivity



Load & go!



Rekord twines HD Prime, Ultimate and UHD with EnergX Tech are also sustainable. EnergX Tech reduces the amount of plastic per bale.



Rekord with EnergX Tech is a change of pace for HD baler twines




Big Baler HD Twines



A twine line with truly innovative contents in terms of performance, yield and cost per bale. To meet the growing needs of the most modern balers on the market.

A complete range that revolutionises the concept of twine. EnergX Tech offers the ability to absorb the stresses that normally endanger knot-tying, together with a length per spool that is unmatched on the market. Less plastic, more yield, zero breakage!



SPOOL LENGTH: 1.320 m



SPOOL LENGTH: 1.500 m - 1.800 m



PACK LENGTH: 3.040 m

Rekord with EnergX	HD Ultimate
Colour	Rust
Spool Length	1.320 m
Knot Protection Energy	93 J
Max. Spool Diameter	300 mm
Max. Spool Height	350 mm
Spools per pallet	48

Rekord with EnergyX		HD Prime	Power
Colour	Purple	Purple	Blue
Spool Length	1.500 m	1.800 m	*3.040 m
Knot Protection Energy	82 J	82 J	65 J
Max. Spool Diameter	300 mm	320 mm	295 mm
Max. Spool Height	370 mm	385 mm	315 mm
Spools per pallet	80	36	56 packs

(*) Length of the two-spool package



Novatex Italia SpA
Via per Dolzago 37, 23848 Oggiono (LC) - Italy
Tel +39 0341 267611 - Fax +39 0341 260408
www.novatexitalia.com